

# EXPERIENCE TRUE COLOUR.

## UV FLATBED & HYBRID PRINTERS



**PRINT HEAD COMPATIBILITY:**

**PACKAGING:**

**SHELF LIFE:**

**SHIPPING & STORAGE:**

**OPERATING SPECIFICATIONS:**

**COMPATIBLE PRINTERS:**

### PREMIUM RG5 UV INK

*Ricoh Gen 5 UV Print Head*

**1 Litre Bottle**

**C M Y K Lc Lm - 12 Months. - Varnish & White - 12 Months.**

**Storage & transit temperatures: +5°C to +35°C  
Store in a cool, dry area, not directly on the floor and away from direct sunlight**

**Temperature: +19°C to +28°C. Relative Humidity: 30% to 80% Non-condensing**

**UV Printer with both Mercury or LED curing systems.**



SCAN TO VIEW ONLINE INFO.

PLEASE NOTE: ABOVE INFORMATION IS FOR REFERENCE ONLY & ARE SUBJECT TO CHANGE WITHOUT . PRIOR NOTICE. FOR LATEST UPDATED MACHINE INFO. CONTACT US: sales@clearsol.co.za - www.clearsol.co.za

- Enhanced Adhesion.
- High Durability.
- Fast Curing.
- Low Odor & Eco Friendliness.

RECOMMENDED INK FOR:



**Join the Print Experience.**

www.clearsol.co.za | sales@clearsol.co.za

### RICOH G5 & G6

Print head technology



## UV FLATBED & HYBRID PRINTERS



**PRINT HEAD COMPATIBILITY:**

**PACKAGING:**

**SHELF LIFE:**

**SHIPPING & STORAGE:**

**OPERATING SPECIFICATIONS:**

**COMPATIBLE PRINTERS:**

### PREMIUM RG6 UV INK

*Ricoh Gen 6 UV Print Head*

**1 Litre Bottle**

**C M Y K Lc Lm - 12 Months. - Varnish & White - 12 Months.**

**Storage & transit temperatures: +5°C to +35°C  
Store in a cool, dry area, not directly on the floor and away from direct sunlight**

**Temperature: +19°C to +28°C. Relative Humidity: 30% to 80% Non-condensing**

**UV Printer with both Mercury or LED curing systems.**



SCAN TO VIEW ONLINE INFO.

PLEASE NOTE: ABOVE INFORMATION IS FOR REFERENCE ONLY & ARE SUBJECT TO CHANGE WITHOUT . PRIOR NOTICE. FOR LATEST UPDATED MACHINE INFO. CONTACT US: sales@clearsol.co.za - www.clearsol.co.za

- Enhanced Adhesion.
- High Durability.
- Fast Curing.
- Low Odor & Eco Friendliness.

RECOMMENDED INK FOR:




**Join the Print Experience.**

www.clearsol.co.za | sales@clearsol.co.za

### KYOCERA

Print head technology



## UV ROLL TO ROLL PRINTERS



**PRINT HEAD COMPATIBILITY:**

**PACKAGING:**

**SHELF LIFE:**

**SHIPPING & STORAGE:**

**OPERATING SPECIFICATIONS:**

**COMPATIBLE PRINTERS:**

### PREMIUM KYOCERA UV INK

*Kyocera UV Print Head*

**1 Litre Bottle**

**C M Y K Lc Lm - 12 Months. - Varnish & White - 12 Months.**

**Storage & transit temperatures: +5°C to +35°C  
Store in a cool, dry area, not directly on the floor and away from direct sunlight**

**Temperature: +19°C to +28°C. Relative Humidity: 30% to 80% Non-condensing**

**UV Printer with both Mercury or LED curing systems.**



SCAN TO VIEW ONLINE INFO.

PLEASE NOTE: ABOVE INFORMATION IS FOR REFERENCE ONLY & ARE SUBJECT TO CHANGE WITHOUT . PRIOR NOTICE. FOR LATEST UPDATED MACHINE INFO. CONTACT US: sales@clearsol.co.za - www.clearsol.co.za

- Enhanced Adhesion.
- High Durability.
- Fast Curing.
- Low Odor & Eco Friendliness.

RECOMMENDED INK FOR:



**Join the Print Experience.**

www.clearsol.co.za | sales@clearsol.co.za

### KYOCERA

Print head technology



## UV ROLL TO ROLL PRINTERS



**PRINT HEAD COMPATIBILITY:**

**PACKAGING:**

**SHELF LIFE:**

**SHIPPING & STORAGE:**

**OPERATING SPECIFICATIONS:**

**COMPATIBLE PRINTERS:**

### PREMIUM HK3 UV INK

*Kyocera UV Print Head*

**1 Litre Bottle**

**C M Y K Lc Lm - 12 Months. - Varnish & White - 12 Months.**

**Storage & transit temperatures: +5°C to +35°C  
Store in a cool, dry area, not directly on the floor and away from direct sunlight**

**Temperature: +19°C to +28°C. Relative Humidity: 30% to 80% Non-condensing**

**UV Roll to Roll Printer with both Mercury or LED curing systems.**



SCAN TO VIEW ONLINE INFO.

PLEASE NOTE: ABOVE INFORMATION IS FOR REFERENCE ONLY & ARE SUBJECT TO CHANGE WITHOUT . PRIOR NOTICE. FOR LATEST UPDATED MACHINE INFO. CONTACT US: sales@clearsol.co.za - www.clearsol.co.za

- Enhanced Adhesion.
- High Durability.
- Fast Curing.
- Low Odor & Eco Friendliness.

RECOMMENDED INK FOR:



**Join the Print Experience.**

www.clearsol.co.za | sales@clearsol.co.za

# EXPERIENCE TRUE COLOUR.

## SOLVENT PRINTERS



**PRINT HEAD COMPATIBILITY:**

### PREMIUM MILD SOLVENT INK

**DX7 & DX5 PRINT HEAD | i3200 PRINT HEAD**

**PACKAGING:**

**2 litre Pouches & 1 Litre Bottle**

**SHELF LIFE:**

**C M Y K - 18Months**

**SHIPPING & STORAGE:**

**Storage & transit temperatures: +5°C to +35°C  
Store in a cool, dry area, not directly on the floor and away from direct sunlight**

**OPERATING SPECIFICATIONS:**

**Temperature: +19°C to +28°C. Relative Humidity: 30% to 80% Non-condensing**

**COMPATIBLE PRINTERS:**

**GenX, Mimaki & all major brands of solvent printers.**



SCAN TO VIEW ONLINE INFO.

PLEASE NOTE: ABOVE INFORMATION IS FOR REFERENCE ONLY & ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE. FOR LATEST UPDATED MACHINE INFO, CONTACT US: sales@clearsol.co.za - www.clearsol.co.za

- Vibrant Colour.
- High Durability.
- Longer lifespan. (with Auto-glaze varnish)
- Low Odor & Eco Friendliness.

RECOMMENDED INK FOR:



**Join the Print Experience.**

www.clearsol.co.za | sales@clearsol.co.za

## EPSON

EXCEED YOUR VISION

Print head technology



## SOLVENT PRINTERS



**PRINT HEAD COMPATIBILITY:**

### PREMIUM MILD SOLVENT FLUSH CARTRIDGES

**DX7 & DX5 PRINT HEAD | i3200 PRINT HEAD**

**PACKAGING:**

**440ml Flush cartridges**

**SHELF LIFE:**

**12 Months**

**SHIPPING & STORAGE:**

**Storage & transit temperatures: +5°C to +35°C  
Store in a cool, dry area, not directly on the floor.**

**OPERATING SPECIFICATIONS:**

**Temperature: +19°C to +28°C. Relative Humidity: 30% to 80% Non-condensing**

**COMPATIBLE PRINTERS:**

**GenX, Mimaki & all major brands of solvent printers.**



SCAN TO VIEW ONLINE INFO.

PLEASE NOTE: ABOVE INFORMATION IS FOR REFERENCE ONLY & ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE. FOR LATEST UPDATED MACHINE INFO, CONTACT US: sales@clearsol.co.za - www.clearsol.co.za

- Eco-Friendly Composition.
- High Durability.
- Fast Drying.
- Low Odor.

RECOMMENDED INK FOR:



**Join the Print Experience.**

www.clearsol.co.za | sales@clearsol.co.za



**CBIS**  
EXPERIENCE  
TRUE COLOUR



SCAN TO VIEW ONLINE INFO.

## SOLVENT PRINTERS



**PRINT COMPATIBILITY:**

### PREMIUM BULK INK FEED SYSTEM

**Solvent printers with Epson® DX™4, DX5, DX6 and DX7 print heads.**

**INK TYPE:**

**2 Litre de-gassed ink pouches**

**DESCRIPTION:**

**CBIS Bulk feed system has been designed to deliver a continuous supply of ink which allows for uninterrupted printing at high speed. Compatible with all large format printers using Epson® DX™4, DX5, DX6 & DX7 print heads.**

- Continuous uninterrupted ink supply.
- Easy load spill free 2L pouches, less time spent on refilling.
- Closed degassed system more reliable than open bulk feed system.

PLEASE NOTE: ABOVE INFORMATION IS FOR REFERENCE ONLY & ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE. FOR LATEST UPDATED MACHINE INFO, CONTACT US: sales@clearsol.co.za - www.clearsol.co.za

- Cost Savings
- Consistent Ink Flow.
- Reduced Downtime.
- Higher Productivity.

RECOMMENDED INK FOR:



**Join the Print Experience.**

www.clearsol.co.za | sales@clearsol.co.za

## LIQUID LAMINATOR



**APPLICATION METHOD**

### PREMIUM AUTO GLAZE VARNISH

**APPLIED MANUALLY / LIQUID LAMINATOR**

**PACKAGING:**

**3 Litre Bottle**

**SHELF LIFE:**

**18 Months.**

**SHIPPING & STORAGE:**

**Storage & transit temperatures: +5°C to +35°C  
Store in a cool, dry area, not directly on the floor.**

**OPERATING SPECIFICATIONS:**

**Temperature: +19°C to +28°C. Relative Humidity: 30% to 80% Non-condensing**

**MATERIAL:**


**SELF ADHESIVE VINYL / SOLVENT PRINTS ONLY.**



SCAN TO VIEW ONLINE INFO.

PLEASE NOTE: ABOVE INFORMATION IS FOR REFERENCE ONLY & ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE. FOR LATEST UPDATED MACHINE INFO, CONTACT US: sales@clearsol.co.za - www.clearsol.co.za

- Superior Scratch and Slip Resistance:
- Excellent Water Resistance.
- Low Blush or Color Shift.
- Flow and Leveling Properties.



By hand using a paint pad

# EXPERIENCE TRUE COLOUR.

## SOLVENT PRINTERS



PRINT HEAD COMPATIBILITY:

PACKAGING:

SHELF LIFE:

SHIPPING & STORAGE:

OPERATING SPECIFICATIONS:

COMPATIBLE PRINTERS:

## PREMIUM DSI-HC DYE-SUBLIMATION INK

DX7 & DX5 PRINT HEAD | i3200 PRINT HEAD

1 Litre Bottle

C M Y K - 18Months

Storage & transit temperatures: +5°C to +35°C

Store in a cool, dry area, not directly on the floor and away from direct sunlight

Temperature: +19°C to +28°C. Relative Humidity: 30% to 80% Non-condensing

GenX - Dye-sublimation Printer



SCAN TO VIEW ONLINE INFO.

PLEASE NOTE: ABOVE INFORMATION IS FOR REFERENCE ONLY & ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE. FOR LATEST UPDATED MACHINE INFO, CONTACT US: sales@clearsol.co.za - www.clearsol.co.za

- Vivid Color Output.
- Permanent Bonding.
- Wash & Fade Resistance.
- Eco-Friendly.
- Soft Feel on Fabrics.

RECOMMENDED INK FOR:



Join the Print Experience.

www.clearsol.co.za | sales@clearsol.co.za

**EPSON**  
EXCEED YOUR VISION

Print head technology



## SOLVENT PRINTERS



PRINT HEAD COMPATIBILITY:

PACKAGING:

SHELF LIFE:

SHIPPING & STORAGE:

OPERATING SPECIFICATIONS:

COMPATIBLE PRINTERS:

## PREMIUM DYE-SUBLIMATION FLUSH

DX7 & DX5 PRINT HEAD | i3200 PRINT HEAD

1 Litre Bottles

12 Months

Storage & transit temperatures: +5°C to +35°C

Store in a cool, dry area, not directly on the floor.

Temperature: +19°C to +28°C. Relative Humidity: 30% to 80% Non-condensing

GenX - Dye-sublimation Printer



SCAN TO VIEW ONLINE INFO.

PLEASE NOTE: ABOVE INFORMATION IS FOR REFERENCE ONLY & ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE. FOR LATEST UPDATED MACHINE INFO, CONTACT US: sales@clearsol.co.za - www.clearsol.co.za

- Eco-Friendly Composition.
- High Durability.
- Fast Drying.
- Low Odor

RECOMMENDED INK FOR:



Join the Print Experience.

www.clearsol.co.za | sales@clearsol.co.za



SCAN TO VIEW ONLINE INFO.

## SOLVENT PRINTERS



PRINT HEAD COMPATIBILITY:

PACKAGING:

SHELF LIFE:

SHIPPING & STORAGE:

OPERATING SPECIFICATIONS:

COMPATIBLE PRINTERS:

## PREMIUM MILD-SOLVENT FLUSH

DX7 & DX5 PRINT HEAD | i3200 PRINT HEAD

Litre Bottles

12 Months

Storage & transit temperatures: +5°C to +35°C

Store in a cool, dry area, not directly on the floor.

Temperature: +19°C to +28°C. Relative Humidity: 30% to 80% Non-condensing

GenX, Mimaki & all major brands of solvent printers.



SCAN TO VIEW ONLINE INFO.

PLEASE NOTE: ABOVE INFORMATION IS FOR REFERENCE ONLY & ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE. FOR LATEST UPDATED MACHINE INFO, CONTACT US: sales@clearsol.co.za - www.clearsol.co.za

- Cost Savings
- Consistent Ink Flow.
- Reduced Downtime.
- Higher Productivity.

RECOMMENDED INK FOR:



Join the Print Experience.

www.clearsol.co.za | sales@clearsol.co.za



SCAN TO VIEW ONLINE INFO.

## SOLVENT PRINTERS



PRODUCT NAME:

PACKAGING:

DESCRIPTION:

PRODUCT NAME:

PACKAGING:

DESCRIPTION:

## PREMIUM CLEANING BUDS & LINT FREE WIPES

PREMIUM HEAD CLEANING BUDS

50 PUDS PER PACK

Used with premium flush solution to clean print heads from ink & dirt.

QUALITY PREMIUM LINT FREE WIPES

150 SHEETS PER PACK

Used to wipe UV Print heads & under carriage after purging & to wipe rigid material of dust & static.



SCAN TO VIEW ONLINE INFO.

PLEASE NOTE: ABOVE INFORMATION IS FOR REFERENCE ONLY & ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE. FOR LATEST UPDATED MACHINE INFO, CONTACT US: sales@clearsol.co.za - www.clearsol.co.za

- Wiper Blade Cleaning.
- Capping Station Cleaning.
- Roller & Platen Cleaning .
- General Surface Cleaning.

RECOMMENDED INK FOR:



Join the Print Experience.

www.clearsol.co.za | sales@clearsol.co.za